EXHIBIT A

BID FORM

Illinois Sports Facilities Authority Waste/Vent Piping FY2026 Rate Field - Chicago, IL

Emailed Bids Due: Wednesday, December 10, 2025 10:00 AM CDT Pre-Bid Date: Monday, November 24, 2025 10:00 AM CDT PROJECT: Waste/Vent Piping FY2026 Rate Field 333 West 35 th Street Chicago, Illinois BID TO: Maureen Gorski Illinois Sports Facilities Authority 333 West 35 th Street Chicago, Illinois Email: maureen@isfauthority.com	
PROJECT: Waste/Vent Piping FY2026 Rate Field 333 West 35 th Street Chicago, Illinois BID TO: Maureen Gorski Illinois Sports Facilities Authority 333 West 35 th Street Chicago, Illinois	
Rate Field 333 West 35 th Street Chicago, Illinois BID TO: Maureen Gorski Illinois Sports Facilities Authority 333 West 35 th Street Chicago, Illinois	
Illinois Sports Facilities Authority 333 West 35 th Street Chicago, Illinois	
BID FOR:(Bidder's Name)	_
(Bidder's Name)	
(Bidder's Address)	
DATE:	,
THE UNDERSIGNED:	
Acknowledges Receipt of: a. Drawings and Technical Specifications:	
Waste/Vent Piping FY2026 Rate Field	

Chicago, Illinois

Dated: Friday, November 14, 2025

2. Has examined the site and all Bidding Documents.

3. Agrees:

6.

5. Bid Award Requirements:

- a. To hold the Bid open until 1 calendar year after the Bid Opening.
- b. To be bound by the provisions of the Contract.
- c. To provide to the Owner a Performance Bond and a Payment Bond in an amount equal to 100% of the Bid amount, or equal to the largest Bid amount submitted by Bidder if multiple Bids are submitted, and provide proof of insurance coverage to the owner for the entire Work in accordance with the Contract Documents within two (2) days of the execution of the Contract. The cost of these bonds and insurance is to be included in the Base Bid, or each of the Base Bids if multiple Bids are submitted.
- 4. Proposes to accomplish all Work in accordance with the Contract Documents for the Base Bid prices as outlined in the following sections.

	All Bids must be submitted electronically to Maureen Gorski via email at maureen@isfauthority.com on the attached Bid. Form shall include Lump sum pricing for Base Bid and Alternates as well as requested Unit Pricing as defined on the bid form.
	Certificate of Liability Insurance in accordance with the requirements stipulated in Section 8.1 of ISFA's Short Form Agreement between Owner and Contractor.
	Payment and Performance Bond as outlined in Section 8.3 of ISFA's Short Form Agreement between Owner and Contractor.
	Compliance with MBE/WBE participation requirements as set forth in Section 10.6 of ISFA's Short Form Agreement between Owner and Contractor.
	Compliance with all other requirements of ISFA's Request for Qualifications and short Form Agreement between owner and Contractor.
Ge	neral Requirements/Note:
	The Work requires field measurement and verification of dimensions. Dimensions shall be measured at each location prior to installation of equipment and materials. The Contractor shall report any inconsistencies, variances, obstructions, and/or interferences to the Architect/Engineer prior to proceeding with installation. If field dimensions indicate that the work cannot be installed per the Drawings, notify the Engineer for design modifications. Do not scale Drawings.
	The construction schedule and staging shall be coordinated with the Owner to minimize interference with scheduled events. The Contractor shall provide all temporary controls as necessary to accommodate the building operations.

Ш	The Contractor shall secure and pay for all permits, licenses, and fees as required. The
	Contractor shall comply with codes, ordinances, rules, regulations, orders, and other
	legal requirements of Public Authority, which bear on the performance of the Work.
	The Contractor shall at times protect all finishes against damage resulting from the
	work performed. Any damage caused to the existing building elements shall be
	repaired or replaced to the satisfaction of the Owner at the Contractor's expense.
	The Contractor shall comply with all security procedures.
	The Contractor shall provide Proof of Insurance prior to the start of work.
	Contractor shall promptly submit verbal and written notice to the Engineer of
	observed variance of the Contract Documents from actual on-site conditions.
	The Contractor will limit on-site storage of materials to those areas identified by the
	Owner.
	Water and electricity may be taken from the building for construction purposes only,
	and at areas identified acceptable by the Owner. Toilet facilities in building shall be
	designated by owner.
	Contractor shall provide and maintain required dust barriers, canopies, barricades,
	protection and warning lights in good condition until the completion of the work
	requiring such protection and then remove the same. All canopies and barricades
	shall comply with federal, state, and local laws and regulations.
	The Contractor shall maintain premises free from accumulations of water, material,
	odors and rubbish. Precautions should be taken to minimize blowing dust from
	entering the building.
	Costs caused by ill-timed work, defective work, or work not conforming to the
	Contract Documents are the responsibility of the Contractor.
	The Contractor shall provide shoring, bracing, and support as required to maintain the
	structural integrity of the existing construction during the work. Construction debris
	shall be removed in a manner that avoids overloading adjacent structural members.
	Contractor shall be responsible for the restoration of finishes affected by work

A. BASE BIDS:

1. GREASE INTERCEPTOR REPLACEMENT

Grease interceptor replacement base bid scope shall consist of all work associated with demolition of existing and installation of new replacement grease interceptor and localized piping upstream, downstream, inside wall cavities, at ceiling space of level 100, at service level service corridor, etc.

Price indicated below for this base bid shall include all labor, materials, services, and equipment necessary, for completion of the work indicated above and shown and described on the drawings:

Dollars (\$



2. SUBMERSIBLE PUMPS REPLACEMENT:

Submersible pumps replacement base bid scope shall consist of all work associated with the removal and replacement of the submersible pump systems, their piping, valving, floats, controls, etc. as identified in the plans. Contractor to include a licensed electrical contractor sub-contractor to perform all electrical and control work necessary.

Price indicated below for this base bid shall include all labor, materials, services, and equipment necessary, for completion of the work indicated above and shown and described on the drawings:				
	Dollars (\$			
Breakouts:	Sumps in Storage 1.51.1A, Dollars: Sump in Batting Cages, Dollars:			
	Total, Dollars:			

3. OWNER SUITE VIDEO SCOPING:

The base bid scope shall include all work associated with video scoping of the drainage and vent piping within the Owner's Suite, as identified on the drawings.

The scope shall include:

- a) A typed report summarizing findings, accompanied by video footage and photographs.
- b) Coordination with the engineer regarding any failed or impaired piping.
- c) Sketches of all underground piping included in the scoping.
- d) Contractor recommendations for the piping scoped.

A draft report shall be submitted for every 20 hours (or fewer) of on-site work performed each week. The report must identify any obstructed areas that require jetting or rodding to clear blockages and allow for full visual inspection of piping conditions, epoxy lining, and related components. Report shall include the location of each recommendation on the sketches.

The prime contractor shall ensure that draft reports are submitted at the required intervals. No additional scoping shall be performed until the corresponding draft report has been submitted. Any rescheduling resulting from a failure to submit required reports shall be at the contractor's expense. This requirement is intended to ensure consistent communication and documentation throughout the project.

The prime contractor shall also provide weekly updates during coordination meetings, identifying any instances where draft reports have not been submitted and where additional scoping is therefore suspended. Failure by the prime contractor to provide such updates may result in increased meeting frequency, up to daily (Monday through Friday). Both the prime contractor and the subcontractor performing the underground scoping shall attend all coordination meetings while scoping work is ongoing.

The prime contractor shall supervise and provide oversight for sub-contractors work to ensure work is performed, cleanout tops are restored and secured, and areas of work can be described and discussed during coordination meetings.

A preliminary summary report of all work performed shall be submitted one month after completion of scoping, with a final summary report due two months after completion.

Dollars (\$,

4. UNDERGROUND VIDEO SCOPING:

Underground video scoping base bid scope shall consist of all work associated with the video scoping all the underground drainage piping in the sections of the building as identified on drawings. The scoping shall cover connecting portions of prior year's scoping and reverify lining condition of portions of the existing piping.

The scope shall include:

- a) A typed report summarizing findings, accompanied by video footage and photographs.
- b) Coordination with the engineer regarding any failed or impaired piping.
- c) Sketches of all underground piping included in the scoping.
- d) Contractor recommendations for the piping scoped.
- e) Utilize a locator to find the pipe routing accurately and represent the location on the sketches.

A draft report shall be submitted for every 20 hours (or fewer) of on-site work performed each week. The report must identify any obstructed areas that require jetting or rodding to clear blockages and allow for full visual inspection of piping conditions, epoxy lining, and related components. Report shall include the location of each recommendation on the sketches.

The prime contractor shall ensure that draft reports are submitted at the required intervals. No additional scoping shall be performed until the corresponding draft report has been submitted. Any rescheduling resulting from a failure to submit required reports shall be at the contractor's expense. This requirement is intended to ensure consistent communication and documentation throughout the project.

The prime contractor shall also provide weekly updates during coordination meetings, identifying any instances where draft reports have not been submitted and where additional scoping is therefore suspended. Failure by the prime contractor to provide such updates may result in increased meeting frequency, up to daily (Monday through Friday). Both the prime contractor and the subcontractor performing the underground scoping shall attend all coordination meetings while scoping work is ongoing.

The prime contractor shall supervise and provide oversight for sub-contractors work to ensure work is performed, cleanout tops are restored and secured, and areas of work can be described and discussed during coordination meetings.

A preliminary summary report of all work performed shall be submitted one month after completion of scoping, with a final summary report due two months after completion.


Dollars (\$	

5. LAVATORY FAUCET REPLACEMENT

Lavatory faucet replacement base bid scope shall consist of all work associated with demolition of existing and installation of new replacement lavatory faucet and localized piping/tubing upstream, downstream, etc. For past lavatories that have been replaced already (prior to the project) the existing wall stops, thermostatic mixing valves, etc. are reused. New water supply tubing, connections, drain/water piping ADA insulation, etc. is to be included.

At this time, it has been identified there are perhaps less than a dozen lavatory faucets relaced; where newer Symmons models are found in the field, they shall be noted and discussed in weekly coordination meetings. The appearance difference between the obsolete model and replacement model is readily noticeable.

	Ι
Breakouts:	At Service Level, Dollars: At Level 100, Dollars: At Level 200, Dollars: At Level 300, Dollars: At Level 400, Dollars: At Level 500, Dollars:







6. PIPE REPLACEMENT/REPAIR

Pipe replacement/repair base bid scope shall consist of all work associated with demolition of existing and installation of new replacement of piping either due to current failure or impending failure based upon experience at the facility.

	Dollars (\$
Breakouts:	Area #1, Dollars:
	Pipe Crack at concession stand 141
	Including lining vertical stack at service level ceiling
	Area #2, Dollars:
	Men's Restroom 158 urinal drain tee cracked
	Area #3, Dollars:
	6" CI pipe suspended at center field pump room
	Including replacing downstream pipe drop
	Area #4, Dollars:
	Beer stand 117 at 100/Service Level
	Including lining deck drain
	Area #5, Dollars:
	Beer stand 129 at 100/Service Level
	Including lining deck drain
	Area #6, Dollars:
	Beer stand 135 at 100/Service Level
	Including lining deck drain
	Area #7, Dollars:
	Beer stand 147 at 100/Service Level
	Including lining deck drain
	Area #8, Dollars:
	8" CI pipe 1/4 bend cracked fitting near Gate 4
	Area #9, Dollars:
	HWR pipe improvement at Stadium Club on Level 300
	Total, Dollars:

7. LARGE VOLUME DOMESTIC HOT WATER STORAGE TANK REPLACEMENT

Pipe replacement/repair base bid scope shall consist of all work associated with demolition of existing and installation of new replacement of piping either due to current failure or impending failure based upon experience at the facility.

Price indicated below for this base bid shall include all labor, materials, services, and equipment necessary, for completion of the work indicated above and shown and described on the drawings:				
	Dollars (\$)			
Please also provide the following ADDERS for cases where isolation valves do not hol valve replacement(s) is(are) necessary. The 1st through 5th and 6th through 10th valve intended to be associated with tank #1 and tank #2 respectively. The 1st and 6th valve require all scope to replace a valve (more scope); the following valves (2nd and up and and up) would be performed concurrently with 1st and 6th value respectively (less scop not the repeat of the scope of the initial valve).				
ADDERS	Tank #1 Only Valves: 1st Isolation Valve, Dollars: + 2nd Isolation Valve, Dollars: + 3rd Isolation Valve, Dollars: + 4th Isolation Valve, Dollars: + 5th Isolation Valve, Dollars:			
	Tank #2 Only Valves: 6th Isolation Dollars: + 7th Isolation Valve, Dollars: + 8th Isolation Valve, Dollars: + 9th Isolation Valve, Dollars: + 10th Isolation Valve, Dollars:			
	Tank #1  Valves: All Isolation Dollars:			

8. RAMP DRAIN VERIFICATION AND RESTORATION

Ramp drain verification and restoration base bid scope shall consist of all work associated with the following:

- A) Unscrew each top-grate of Ramp 5 and 6 and verify the existing top-grate is secured with minimum of two screws which are actually threaded into and hold to the drain body. Where screws are unsecured, follow step B).
- B) Where top-grates are unsecured, re-tap the screw holes to provide a minimum of two securing screws.
- C) While grate-top is open, verify the lining material is not installed in such a matter that a lip is present at the inlet of the drain opening of the existing drain body. Where lip is present, follow step D).
- D) Lining material lip shall be removed and existing lining material left intact and functional.

		Dollars (\$	
Please also provide the following	g breakouts:		
Breakouts	Ramp 5: Ramp 6:		
	Total, Dollars:		

B. UNIT PRICES

1. Sanitary Piping: (Include Removal, Installation, Pressure Testing, and Final Cleaning)

UP 1A: 1-1/4" Typ	e 'M' Copper P	iping (solder joints).		
	Straight Tim	e Price	Overtime	Price
	\$	Per LF	\$	Per LF
		Per Fitting		Per Fitting
UP 1B: 1-1/2" Type	e 'M' Copper Pa	iping (solder joints).		
	Straight Tim	e Price	Overtime	Price
	\$	Per LF	\$	Per LF
	\$	Per Fitting	\$	Per Fitting
UP 1C: 2" Type 'M				
	Straight Tim	e Price	Overtime	Price
	\$	Per LF	\$	Per LF
		Per Fitting		Per Fitting
UP 1D: 4" Service	Class Cast Iron	Piping (lead and oak	um joints).	
	Straight Tim		Overtime	Price
	\$	Per LF	\$	Per LF
	\$	Per Fitting	\$	Per Fitting
UP 1E: 6" Service		Piping (lead and oak		
	Straight Tim	e Price	Overtime	Price
	\$	Per LF	\$	Per LF
	\$	Per LF Per Fitting	\$	Per Fitting
UP 1F: 8" Service		Piping (lead and oak		
	Straight Tim	e Price	Overtime	Price
	_	Per LF	\$	Per LF
		Per Fitting		Per Fitting

2.	Vent Piping: (Inclu	de Removal, Inst	tallation, Pressure	e Testing, and	Final Cleaning)	
	UP 2A: 1-1/4" Type	· 'M' Conner Pini	ng (solder joints)			
	01 211. 1 1/4 1ype	Straight Time P	- ,	Overtime P	rice	
		\$			Per LF	
		\$	Per Fitting	\$ \$	Per Fitting	
	UP 2B: 1-1/2" Type			*		
	71	Straight Time P		Overtime P	rice	
		\$	Per LF	\$	Per LF	
			Per Fitting		Per Fitting	
	UP 2C: 2" Type 'M					
		Straight Time P	rice	Overtime P	rice	
		\$	Per LF	\$	Per LF	
		\$	Per Fitting	\$	Per Fitting	
	UP 2D: 4" Service C	Class Cast Iron Pip	oing (lead and oak)	um joints).		
		Straight Time P	rice	Overtime Price		
		\$	Per LF	\$	Per LF	
		\$	Per Fitting	\$	Per Fitting	
	UP 2E: 6" Service Class Cast Iron Piping (lead and oakum joints).					
		Straight Time P	rice	Overtime P	rice	
		\$	Per LF	\$	Per LF	
		\$	Per Fitting	\$	Per Fitting	
	UP 2F: 8" Service C	Class Cast Iron Pip	oing (lead and oaku			
		Straight Time P		Overtime P	rice	
		\$	Per LF		Per LF	
		\$	Per Fitting	\$	Per Fitting	
3.	Acid Resistant Was Final Cleaning)	ste Piping: (Inclu	de Removal, Inst	allation, Pressi	ure Testing, and	
	UP 3A: 2" Fused Flame Retardant Polypropylene Acid Resistant Waste Piping (i.e. Watts Orion Rionfuse CF Electrofusion Piping System).					
		Straight Time P	rice	Overtime P	rice	
		\$	Per LF Per Fitting	\$	Per LF	
	UP 3B: 4" Fused Flat Orion Rionfuse CF I			Resistant Waste	Piping (i.e. Watts	
		Straight Time P	rice	Overtime P	rice	
		\$	Per LF	\$	Per LF	
		\$	Per Fitting	\$	Per Fitting	

	oing of Drainage and Ven sketching pipe routing, e			recording, locating	
UP ·	4A: Additional 100-lineral	feet			
	Straight	Straight Time Price		Overtime Price	
	\$	Per 100-LF	\$	Per 100-LF	
UP -	4B: Jetting/Flushing/Roddi	ing, Clearing the Line, E	c. Activities	s (when required).	
	Straight			Overtime Price	
		Per Hour	\$	Per Hour	
Fina	m Piping: (Include Remonal Cleaning) 5A: 4" Service Class Cast 1			Insulation, and	
OI .		1 0 \	Overtin	ne Price	
		Per LF	\$	Per LF	
	\$ \$	Per LF Per Fitting	\$	Per Fitting	
UP:	5B: 6" Service Class Cast 1			1 & 1 100000	
		Straight Time Price		ne Price	
	\$	Per LF Per Fitting	\$	Per Fitting	
UP :	5C: 8" Service Class Cast 1				
	Straight	Time Price	Overtin	ne Price	
	\$	Per LF	\$	Per LF	
	\$	Per Fitting	\$	Per Fitting	
UP :	5C: 10" Service Class Cast	t Iron Piping (lead and oa	ıkum joints)		
	Straight	Time Price	Overtin	ne Price	
	\$	Per LF	\$	Per LF	
	\$	Per Fitting	\$	Per Fitting	
UP:	5C: 12" Service Class Cast		= -		
	Straight	Time Price	Overtin	ne Price	
		Per LF	\$	Per LF	
	\$	Per Fitting	\$	Per Fitting	
UP:	5C: 15" Service Class Cast		= -		
	· ·	Time Price	Overtin		
	\$	Per LF	\$	Per LF	
	•	Per Fitting	2	Per Fitting	

6. Domestic Water Piping: (Include Removal, Installation, Pressure Testing, Insulation, and Final Cleaning)

UP 6A: 1-1/4" Ty	ype 'L' Copper	Piping (solder joints).			
	Straight Ti	Straight Time Price		Overtime Price	
	\$	Per LF	\$	Per LF	
		Per Fitting		Per Fitting	
UP 6B: 1-1/2" Ty		Piping (solder joints).			
	Straight Ti	Straight Time Price		e Price	
	\$	Per LF	\$	Per LF	
		Per Fitting		Per Fitting	
UP 6C: 2" Type '	L' Copper Pipi	ng (solder joints).			
	Straight Ti	Straight Time Price		Overtime Price	
	\$	Per LF	\$	Per LF	
		Per Fitting		Per Fitting	
UP 6D: 2-1/2" Ty		Piping (solder joints).			
	Straight Ti	Straight Time Price		e Price	
	\$	Per LF	\$	Per LF	
	\$	Per Fitting		Per Fitting	
UP 6E: 3" Type '					
	Straight Ti	Straight Time Price		e Price	
	\$	Per LF	\$	Per LF	
		Per Fitting		Per Fitting	
UP 6F: 4" Type '	L' Copper Pipi	ng (solder joints).			
	Straight Ti	me Price	Overtime	e Price	
	\$	Per LF	\$	Per LF	
	\$	Per Fitting		Per Fitting	

7. Domestic Water 'Lead-Free' Ball Valves: (Include Removal, Installation, Pressure Testing, Insulation, and Final Cleaning)

UP 7A: 3/4" B	all Valve (solder e	nds).		
	Straight Time Price		Overtime Price	
	\$	Per LF	\$	Per LF
		Per Fitting		Per Fitting
UP 7B: 1" Ball	Valve (solder end	s).		
	Straight Ti	ne Price	Overtime	e Price
	\$	Per LF	\$	Per LF
		Per Fitting		Per Fitting
UP 7C: 1-1/4"	Ball Valve (solder	ends).		
	Straight Ti	ne Price	Overtime	e Price
	\$	Per LF	\$	Per LF
		Per Fitting		Per Fitting
UP 7D: 1-1/2"	Ball Valve (solder			
	Straight Ti	t Time Price Overtime Price		e Price
	\$	Per LF	\$	Per LF
		Per Fitting		Per Fitting
UP 7E: 2" Ball	Valve (solder end	s).		
	Straight Ti	ne Price	Overtime	e Price
	\$	Per LF	\$	Per LF
		Per Fitting		Per Fitting
UP 7F: 2-1/2"	Ball Valve (solder	ends).		
	Straight Ti	ne Price	Overtime	e Price
	\$	Per LF	\$	Per LF
		Per Fitting		Per Fitting
UP 7G: 3" Bal	l Valve (solder end	ls).		
	Straight Ti	ne Price	Overtime	e Price
	\$	Per LF	\$	Per LF
	\$	Per Fitting	\$	Per Fitting
UP 7H: 4" Bal	l Valve (solder end	ls).		
	Straight Ti	ne Price	Overtime	e Price
	\$	Per LF	\$	Per LF
	\$	Per Fitting	\$	Per Fitting

8. Domestic Water 'Lead-Free' Butterfly Valves: (Include Removal, Installation, Pressure Testing, Insulation, and Final Cleaning)

UP 8A: 2" But	terfly Valve (flang	ged ends).			
	Straight T	Straight Time Price		e Price	
	\$	Per LF	\$	Per LF	
	\$	Per Fitting	\$	Per Fitting	
UP 8B: 3" But	terfly Valve (flang	ged ends).			
	Straight T	Straight Time Price		Overtime Price	
	\$	Per LF	\$	Per LF	
	\$	Per Fitting	\$	Per Fitting	
UP 8C: 4" But	terfly Valve (flan	ged ends).			
	Straight T	Straight Time Price		e Price	
	\$	Per LF	\$	Per LF	
	\$	Per Fitting	\$		
UP 8D: 6" But	terfly Valve (flang	ged ends).			
	Straight T	ime Price	Overtime	e Price	
	\$	Per LF	\$	Per LF	
	\$	Per Fitting	\$		
UP 8E: 8" But	terfly Valve (flang	ged ends).			
	Straight T	ime Price	Overtime	e Price	
	\$	Per LF	\$	Per LF	
	\$	Per Fitting	\$	Per Fitting	

9. Ramp Storm Drainage Vertical Piping, Without Insulation: (Include Removal, Installation, Pressure Testing, and Final Cleaning)

UP 9A: 4" Serv	vice Class Cast Ire	on Piping (lead and oak	tum joints).	
	Straight Time Price		Overtime Price	
	\$	Per LF	\$	Per LF
	\$	Per Fitting	\$	Per Fitting
UP 9B: 6" Serv	vice Class Cast Iro	on Piping (lead and oak	um joints).	
	Straight Time Price		Overtime Price	
	\$	Per LF	\$	Per LF
	\$	Per Fitting	\$	
UP 9C: 8" Serv	vice Class Cast Ire	on Piping (lead and oak	tum joints).	
	Straight T	ime Price	Overtime	e Price
	\$	Per LF	\$	Per LF
	\$	Per Fitting		Per Fitting
UP 9D: 10" Sea	rvice Class Cast I	ron Piping (lead and oa	kum joints).	
	Straight T	ime Price	Overtime	e Price
	\$	Per LF	\$	Per LF
	\$	Per Fitting	\$	
UP 9E: 12" Sei	vice Class Cast I	ron Piping (lead and oa	kum joints).	
	Straight T	ime Price	Overtime	e Price
	\$	Per LF	\$	Per LF
	\$	Per Fitting	\$	Per Fitting

10. Epoxy Lining Existing Ramp Storm Drainage Vertical Piping, 10-ft Sections, Without Insulation: (Include Removal, Installation, Pressure Testing, and Final Cleaning)

Class Cast Iro	ne Price Per 10 LF Per Fitting		Price	
Class Cast Iro	Per 10 LF	Φ	Overtime Price	
Class Cast Iro	Per Fitting	\$	Per LF	
Class Cast Iro	1 of 1 tuning	\$	Per Fitting	
	on Piping (existing).			
Straight Time Price		Overtime Price		
\$	Per 10 LF	\$	Per LF	
\$	Per Fitting	\$	Per Fitting	
		Overtime Price		
\$	Per 10 LF	\$	Per LF	
\$	Per Fitting	\$	Per Fitting	
_		Overtime	Price	
\$	Per 10 LF	\$	Per LF	
\$	Per Fitting	\$	Per Fitting	
Straight Time Price		Overtime	Price	
\$	Per 10 LF	\$	Per LF	
\$	Per Fitting	\$	Per Fitting	
	Class Cast Iro Straight Tin \$ e Class Cast Iro Straight Tin \$ e Class Cast Iro Straight Tin	e Class Cast Iron Piping (existing). Straight Time Price \$Per 10 LF \$Per Fitting e Class Cast Iron Piping (existing). Straight Time Price	Class Cast Iron Piping (existing). Straight Time Price Overtime \$Per 10 LF \$ \$Per Fitting \$ e Class Cast Iron Piping (existing). Straight Time Price Overtime \$Per 10 LF \$ Per Fitting \$ e Class Cast Iron Piping (existing).	

C. AGREES TO THE FOLLOWING

- 1. To obtain any and all building permits required to perform this work.
- 2. To complete the work in the time frame stipulated by the Owner.
- 3. To work at least five full working days per week, when weather permits, or as the schedule allows.
- 4. To work within the hours of 6:00 a.m. and 5:00 p.m unless otherwise stipulated.
- 5. To start work within 10 days after signing agreement.

IN SUBMITTING THIS BID, IT IS UNDERSTOOD THAT THE RIGHT IS RESERVED BY THE OWNER TO REJECT ANY AND ALL BIDS, AND IT IS AGREED THAT THIS BID MAY NOT BE WITHDRAWN FOR A PERIOD OF 90 DAYS FROM THE OPENING THEREOF.

BASE BID (ITEMS 1-8) To	OTAL \$
BASE BID WRITTEN AM	IOUNT
FIRM NAME:	
BUSINESS ADDRESS:	
_	
TELEPHONE:	
BY:	
_	(Signature)
TITLE:	
_	

CORPORATE SEAL (If bidder is a corporation)

21 | P a g e